

Notice of Allowability

Application No.

10/642,269

Examiner

Dmitry Suhol

Applicant(s)

ODIWO, EDITH LAMIRA

Art Unit

3714

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to applicants AF amendment filed 2/3/2005.
2. ☒ The allowed claim(s) is/are 21-39.
3. ☒ The drawings filed on 18 August 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Chauncey Johnson on February 18th, 2005.

The application has been amended as follows:

Claims 1-20 have been canceled.

Claim 21, after "...an electrical control panel for controlling..." delete "...built in components." and insert - - voice, temperature, breathing and heartbeat simulations. - -.

Claim 25, after "...nurturing device according to claim..." delete "4" and insert - - 24 - -.

Claim 30, after "... (e) a pouch area;" delete "and" and insert - - (f) an electrical control panel for controlling voice, temperature, breathing and heartbeat simulations; and - -.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The specific limitations of the combination of, with respect to claim 21, "...a pouch area...an internal cavity separated from external outer abdomen casing portions by a separation

Art Unit: 3714

diaphragm member...an electrical control panel for controlling voice, temperature, breathing and heartbeat simulations” and with respect to claim 30 “...a pouch area...an internal cavity separated from external outer abdomen casing portions by a separation diaphragm member...a crib having four walls...” are not anticipated or made obvious over the prior art of record in the examiners opinion. For example, Eggert discloses a device which teaches, a head portion (304), a neck portion (314), a torso portion (316), a base support (region 320 and legs 322b and 322a). A pouch area is shown as cavity 333. A control panel is shown as control box 328 in figure 4. However, prior art of record fails to disclose the combination of a pouch area and internal cavity separated from external outer abdomen casing portions by a separation diaphragm in a device that has an electrical control panel that is capable of controlling the above functions. It should be noted that although Eggert discloses a control panel with his device the control panel is not capable of control a voice function as the device of Eggert only produces bodily sounds and not a voice, nor would there be any motivation to include a voice means in the Eggert device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Conclusion


Art Unit: 3714

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dmitry Suhol whose telephone number is 571-272-4430. The examiner can normally be reached on Mon - Friday 9am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jessica Harrison can be reached on 571-272-4449. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ds



JESSICA HARRISON
PRIMARY EXAMINER